


# Industrias AIEn Research & Development Safety Data Sheet



Classification

Confidential

**SAP Code** 

SDS FP-6050365

	SECTION 1 – IDI	ENTIFICATION		
Manufacturer		Mexico emergency telephone		Fax
ALEN DEL NORTE S.A. DE C.V.		01 800 834 33 0	0	+52 (81) 81221099
Address		Emergency telephone number (US)		(US)
		CHEMTRAC		
Blvd. Díaz Ordaz No. 1000, Los Treviño, C.P. 66150, México	Santa Catarina, N.L.	For domestic shipments  For shipments outside US		800 424 9300
				703 527 3887
Product Name				
PINOL DETERGENT FLORAL	-			
Chemical Name			CAS Numb	er
NA, Mixture		NA		
Synonyms/Trade Names				
NA				
Application	Restrictions on use			
Liquid Laundry Detergent	This product is intended for household laundry cleaning only.		ng only.	

#### **SECTION 2 – HAZARDS IDENTIFICATION**

Classification: Acute Toxicity – Oral Cat. 4

Eye Irritation Cat. 2B

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Signal word: Warning

**Hazard Statements:** H302 Harmful if swallowed.

H320 Causes eye irritation.

### Pictograms:



Precautionary Statements	
Prevention: Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling.	Storage: Keep out of reach of children. Keep containers closed when not in use. Store in a cool, dry area. Keep away from heat, sparks or open flame.
❖ Response: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. IF ON SKIN: Take off contaminated clothing. Rinse skin with plenty of water for 15 – 20 minutes. IF SWALLOWED: Get medical attention. Do not induce vomiting. Drink large quantities of water.	Disposal: Dispose in accordance with all applicable local, state and federal regulations.
Hazard not otherwise classified: Repeated or prolonged contact may cause skin sensitization.	Unknown Toxicity: Not applicable.

SECTION 3 – COMPOSITION	N / INFORMATION ON INGREDIE	NTS
Hazardous Ingredients Chemical/Common Name	Composition Range	CAS Number
Dodecylbenzenesulfonic acid	1.0 – 5.0	27176-87-0
Disodium tetraborate / Borax	0.1 – 1.0	1330-43-4
Sodium hydroxide / Caustic soda	0.1 – 1.0	1310-73-2

	SECTION 4 – FIR	ST-AID MEASURES
For treatmen	nt advice, call a Poison Control Center or a c	loctor.
Ingestion	Do not induce vomiting, drink large quantities supportive measures as indicated by the patier	of water or milk. Get immediate medical attention. Apply other nt's clinical condition.
Inhalation	Not an irritant. In case concentrated vapors we	re formed due to heating, get fresh air.
Skin	Wash affected area with plenty of water and soap or mild detergent, until no evidence of product remains. Get medical attention if irritation develops or persists.	
Eyes		ediately irrigate the affected eye thoroughly with water or 0.9% vidence of chemical remains. Get medical attention if irritation
-	rtant symptoms and effects: f eyes and/or skin.	Indication of any immediate medical attention and special treatment needed:  Treat symptomatically.

	SECTION 5 – FIRE-FIGHTING MEASURES
Flash Point (°C)	Test method
NA	
Flammability	Explosive limits in air
NA	No explosion hazard.

Extinguishing media:			
Water spray X	CO <sub>2</sub> X	Foam X	Other
Unusual fire and explos	ion hazards: NA		
	pment: Wear NICen fighting fires inverse		elf-contained breathing apparatus and full protective
Special fire-fighting pro	cedures: Use wa	ter spray to cool c	containers exposed to fire.
Conditions to avoid: He	at, sparks, open fl	ame and other so	ources of ignition.
	products: Carbon c fumes including		carbon dioxide. When heating above 205°C it may hydrogen sulfide.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES Personal precautions** Goggles X Gloves X Boots X Coat Other **Emergency Procedures in case of release or spillage:** Large spills: Wear protective equipment, remove sources of ignition, sweep up the material, use absorbent material like sand or saw dust, collect in closed containers and dispose of according to all local regulations. Wash area with water. Small spills: Wash area with plenty of water and dispose the material in accordance with all local, state and federal regulations. Avoid heat, sparks, open flame and other sources of ignition. Avoid contact with skin, eyes and clothing. Methods and Materials for Containment and Cleaning up: Use absorbent material and collect in closed non-metal containers, wash with plenty water, and conduct to

sanitary treatment facility.

#### **SECTION 7 – HANDLING AND STORAGE**

Precautions for safe handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. Do not eat, drink, or smoke when using the product.

Recommendations on the conditions for safe storage: Keep out of reach of children. Keep containers closed when not in use. Store in a well-ventilated, cool, dry area. Keep away from heat, sparks or open flame. Keep from freezing.

#### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure limits:** OSHA PEL/NIOSH Hazardous Ingredients CAS Number ACGIH TLV Chemical/Common Name REL Dodecylbenzenesulfonic acid 27176-87-0 TLV: Not estab. ND TLV-TWA: 5mg/m<sup>3</sup> Sodium borate / Borax 1330-43-4 ND PEL-TWA: 2 mg/m<sup>3</sup> Sodium hydroxide / Caustic soda 1310-73-2 TLV-ceiling:2 mg/m<sup>3</sup> REL-ceiling: 2 mg/m3

Appropriate engineering controls:  Eye washers
Ventilation requirements  General ventilation Local ventilation X Unnecessary in normal cond.
<b>Work practices:</b> Follow good manufacturing practices for housekeeping and personal hygiene. Do not eat, drink, or smoke during work. Wash any exposed skin immediately after chemical contact and before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Clear liquid		
Color and odor:	Violet and characteristic floral scent.		
Boiling point (°C):	ND	Melting or freezing point:	NA
Flash point (°C):	NA	Decomposition temperature:	ND
Fire point (°C):	NA	Auto ignition temperature (°C):	NA
Density (g/ml):	1.020 – 1.040	Vapor density:	ND
Molecular weight:	NA	Volatility:	NA
Percent volatile 100°C:	ND	Vapor pressure (mmHg @ 20°C):	ND
Lower explosion limit (%):	NA	Upper explosion limit (%):	NA
pH:	7.5 – 8.5	Viscosity (cPs):	200 - 400
Solubility in water:	Complete	Solubility in others:	ND
Partition coefficient: n-octanol / water	ND	Odor threshold:	ND

SECTION 10 – STABILITY AND REACTIVITY
Reactivity: Reacts with bases and oxidants to produce sulfur oxides.
Chemical stability:  Stable X Unstable Under recommended storage conditions
Possibility of hazardous reactions: Not under normal handling of product.
Conditions to avoid: None known.
Incompatible materials:  None Water Acids Alkalis X Oxidants X Other known

Hazardous decomposition products: t may produce carbon dioxide and carbon monoxide. When heating above 205°C it may produce toxic fumes including sulfur oxides and hydrogen sulfide. Reacts with bases and oxidants to produce sulfur oxides, causing oxic hazard.
Hazardous polymerization: Will not occur X May occur

	SECT	ION 11 – TOXICOLOGICAL INFO	DEMATION
Information on th			JRIMATION
Contact via	c intery routes or	Acute	Chronic
Ingestion	Abdominal pain collapse.	ain. Burning sensation. Shock or May cause severe burns.	
Inhalation	Burning sensation Shortness of breath	on. Cough. Labored breathing. ath. Sore throat.	NA
Skin	May cause irritat	on or burning pain.	NA
Eyes	May cause irritation, pain, deep burns and photophobia.		Causes eye irritation.
	-	NON	
Complementary is	nformation		
Chemical Name LD50 Oral		Animal Species	
Dodecylbenzenesulfonic acid 500 mg/kg		500 mg/kg	Rat
Sodium borate		2660 mg/kg	Rat
Sodium hydroxide		Not available	Not available

SECTION 12 – ECOLOGICAL INFORMATION
Ecotoxicity: No information available
Persistence and degradation in environment: Product is readily biodegradable.
Test of bioaccumulation: No information available
Other adverse effects: No information available

## SECTION 13 - DISPOSAL CONSIDERATIONS

Waste disposal methods: Place material into sealed non-metal containers and dispose in accordance with all

applicable local, state and federal regulations. **Contaminated packaging:** Do not reuse empty containers.

SECTION 14 – TRANSPORT INFORMATION							
Regulation	Proper Shipping Name	Identification number UN/NA	Hazard Classification	Packing Group			
Land Transportation DOT (USA)	Not regulated	Not regulated	Not regulated	Not regulated			
Land Transportation TDG (Canada)	Not regulated	Not regulated	Not regulated	Not regulated			
Land Transportation ADR (Europe)	Not regulated	Not regulated	Not regulated	Not regulated			
Air Transportation IATA (International)	Not regulated	Not regulated	Not regulated	Not regulated			
Water Transportation IMDG (International)	Not regulated	Not regulated	Not regulated	Not regulated			

SECTION XV - REGULATORY INFORMATION					
RCRA (40 CFR 261, Subpart D):	New Jersey Right to Know Hazardous Substance List:				
Not applicable.	This product contains the following components subject to reporting requirements: dodecylbenzene-sulfonic acid and sodium hydroxide.				
Clean Water Act:	Pennsylvania Hazardous Substance List:				
Contains dodecylbenzenesulfonic acid (RQ = 1,000 lb/45.4 kg) which is a section 311 material and sodium hydroxide (RQ = 1000 lb/454 kg) which is a Section 301, 307 and 311 material	This product contains the following components subject to reporting requirements: dodecylbenzene-sulfonic acid, sodium borate and sodium hydroxide.				
Clean Air Act:	Massachusetts Substance List:				
Contains dodecylbenzenesulfonic acid which is a section 111 material.	This product contains the following components subject to reporting requirements: dodecylbenzene-sulfonic acid, sodium borate and sodium hydroxide.				
SARA Sections 301-304 (Threshold Planning Quantity - TPQ) 40 CFR 355:	State Of Illinois Substance List:				
Not applicable.	This product contains the following components subject to reporting requirements: dodecylbenzene-sulfonic acid and sodium hydroxide.				
SARA Section 313 (Toxic Chemical Release Reporting) 40 CFR 372:	Michigan Critical Materials Register:				
Not applicable.	Not applicable.				
CERCLA Section 102 (Reportable Quantity - RQ):	Canada (WHMIS) - listed material:				
Not applicable.	This product contains the following components subject to reporting requirements: dodecylbenzene-sulfonic acid and sodium hydroxide.				
California Proposition 65 Carcinogens and reproductive toxins:	TSCA Section 8(b) Inventory Status:				
Not applicable.	All ingredients listed in this product are listed in the TSCA Inventory or are not required to be listed in the TSCA Inventory.				

SECTION 16 - OTHER INFORMATION							
HMIS Classification (USA)		HMIS Letter	Required Equipment				
Health	1	Α	Safety glasses.				
Flammability	0	В	Safety glasses, gloves.				
Physical Hazard	0	С	Safety glasses, gloves, protective apron.				
Personal Protection	В	D	Face shield, gloves, protective apron.				
		Е	Safety glasses, gloves, dust respirator.				
NFPA Aerosol Level:		F	Safety glasses, gloves, protective apron, dust respirator.				
NA		G	Safety glasses, gloves, vapor respirator.				
NA: Not Applicable TLV: Threshold Limit Values ND: Not Determined		Н	Splash glasses, gloves, protective apron, vapor respirator.				
		I	Safety glasses, gloves, dust respirator, vapor respirator.				
		J	Safety glasses, gloves, protective apron, dust respirator, vapor respirator.				
		K	Air line mask or hood, gloves, full suit, boots.				

Creation date:	Last revision date:	Next revision date:	Created by:
21/Mar/2013	22/May/2015	22/May/2017	L.Q.I. Flavio Jauregui Aguirre

#### DISCLAIMER

The submission of this MSDS may be required by law, but this is not an assertion that the substance is not hazardous when it is not used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health and not for consumer use. The information contained herein has been compiled form sources considered by Industrias AIEn to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Industrias AIEn assumed no responsibility for injury to the recipient or third persons, for any damage to any property form misuse of the controlled product.